

Supplementary Table 1. *Differences in number of sessions, age, doses per session, and proportion of consumption method usage between users who had positive or non/negative relief in treating anxiety.*

Variable	Group	M	SD	SE	Welch's t	df	p	Cohen's d
Number of sessions	Positive	25.99	110.62	6.90	2.18	361.15	0.030	0.21
	Non/negative	8.87	40.85	3.71				
Age	Positive	35.68	10.86	0.69	-1.04	214.47	0.300	-0.12
	Non/negative	37.02	11.80	1.09				
Doses per session	Positive	5.44	5.05	0.31	3.35	327.55	< .001	0.34
	Non/negative	3.95	3.45	0.31				
Smokable flower usage	Positive	0.42	0.46	0.03	-1.09	224.08	0.278	0.12
	Non/negative	0.48	0.49	0.04				
Vape usage	Positive	0.58	0.46	0.03	1.09	224.08	0.278	0.12
	Non/negative	0.52	0.49	0.04				

Relief			
Gender	Positive	Non/negative	Total
Female	144	67	211
Male	106	48	154
Total	250	115	365
$\chi^2$	0.01		
Df	1		
N	365		
p	.905		

Supplementary Table 2. *Differences in number of sessions, age, doses per session, and proportion of consumption method usage between users who had positive or non/negative relief in treating depression.*

Variable	Group	M	SD	SE	Welch's t	df	p	Cohen's d
Number of sessions	Positive	30.85	143.59	11.39	2.03	168.58	0.04	0.23
	Non/negative	7.38	15.75	2.12				
Age	Positive	35.48	11.34	0.92	0.24	100.70	0.813	0.04
	Non/negative	35.07	10.74	1.45				
Doses per session	Positive	5.82	4.29	0.34	1.48	85.05	0.142	0.24
	Non/negative	4.73	4.85	0.65				
Smokable flower usage	Positive	0.44	0.46	0.04	0.95	87.85	0.343	0.15
	Non/negative	0.51	0.50	0.07				
Vape usage	Positive	0.56	0.46	0.04	-0.95	87.85	0.343	-0.15
	Non/negative	0.49	0.50	0.07				

Gender	Relief		
	Positive	Non/negative	Total
Female	85	30	115
Male	67	22	89
Total	152	52	204
$\chi^2$	0.05		
Df	1		
N	204		
p	.824		